## **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1 1-47. (Cancelled).

1	48.	(New) A method implemented by a secondary server to maintain a secondary
2		directory, comprising:
3		receiving notification from a primary server that a particular update has been made
4		by the primary server to a primary directory;
5		in response to the notification, making the particular update to the secondary
6		directory such that the second directory mirrors the primary directory;
7		receiving a request, from a client, to make the particular update to the secondary
8		directory, wherein the client sends the request because the client has not
9		received confirmation that the primary server has made the particular update
10		to the primary directory;
11		determining that the particular update cannot be made to the secondary directory
12		because the particular update has already been made to the secondary
13		directory as a result of receiving the notification from the primary server; and
14		in response to the determination that the particular update has already been made to
15		the secondary directory, the secondary server sending an indication to the
16		client that the particular update was successfully made to the secondary
17		directory.

1	49.	(New) The method of Claim 48, wherein said particular update involves an add
2		operation.
1	50.	(New) The method of Claim 48, wherein said particular update involves a delete
2		operation.
1	51.	(New) The method of Claim 48, wherein said particular update involves adding a
2		rename operation.
1	52.	(New) A machine-readable medium carrying one or more sequences of instructions
2		for maintaining a secondary directory, wherein execution of the one or more
3		sequences of instructions by one or more processors of a secondary server causes
4		the one or more processors to perform the steps of:
5		receiving notification from a primary server that a particular update has been made
6		by the primary server to a primary directory;
7		in response to the notification, making the particular update to the secondary
8		directory such that the second directory mirrors the primary directory;
9		receiving a request, from a client, to make the particular update to the secondary
10		directory, wherein the client sends the request because the client has not
11		received confirmation that the primary server has made the particular update
12		to the primary directory;
13		determining that the particular update cannot be made to the secondary directory
14		because the particular update has already been made to the secondary
15		directory as a result of receiving the notification from the primary server; and
16		in response to the determination that the particular update has already been made to

17

the secondary directory, the secondary server sending an indication to the

18		client that the particular update was successfully made to the secondary
19		directory.
1	53.	(New) The machine-readable medium of Claim 52, wherein said particular update
2		involves an add operation.
1	54.	(New) The machine-readable medium of Claim 52, wherein said particular update
2		involves a delete operation.
1	55.	(New) The machine-readable medium of Claim 52, wherein said particular update
2		involves adding a rename operation.
1	56.	(New) An apparatus for maintaining a secondary directory, comprising:
2		a module for receiving notification from a primary server that a particular update has
3		been made by the primary server to a primary directory;
4		a module for making the particular update to a secondary directory such that the
5		second directory mirrors the primary directory in response to receiving the
6		notification;
7		a module for receiving a request, from a client, to make the particular update to the
8		secondary directory, wherein the client sends the request because the client
9		has not received confirmation that the primary server has made the particular
10		update to the primary directory;
11		a module for determining that the particular update cannot be made to the secondary
12		directory because the particular update has already been made to the
13		secondary directory as a result of receiving the notification from the primary
14		server; and

15	a module for sending, from the secondary server, an indication to the client that the
16	particular update was successfully made to the secondary directory in
17	response to determining that the particular update has already been made to
18	the secondary directory.

- 1 57. (New) The apparatus of Claim 56, wherein said particular update involves an add operation.
- 1 58. (New) The apparatus of Claim 56, wherein said particular update involves a delete operation.
- 1 59. (New) The apparatus of Claim 56, wherein said particular update involves adding a rename operation.